

PRODUCT NUMBER: RGT1685 RGT 1685

Handlings of warm parts in glass industries... and removal from muld of warm parts for contact temperatures unitl 250°C.

Honeywell

Overview

Reference Number

RGT1685

Product Type

Gloves

Range

Thermal Protection

Line

Heat

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

Industry Automotive and Part Manufacturer Glass Industries

· Iron and steel industry

Product Use

Handlings of warm parts in glass industries... and removal from muld of warm parts for contact temperatures unitl 250°C.

Features & Benefits

Feature

100% cotton terry knitted glove Ribbed cotton wrist

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity. Maximum comfort and added sturdiness are ensured.

Ribbed at the wrist to ensure a good level of wrist comfort, thus eliminating risks of getting it caught. Level 4 dexterity according to the standard 420.

5-finger glove for a better grip of hot objects as well as added dexterity.

RESISTANCE

Catching the air between the terry threads provides the glove with better thermal insulation.

Cotton provides mechanical resistance and insulation with respect to contact heat.

Technical Description

Description

5 fingers knitted gloves, 100% cotton mitt Wrist on board, side cotton

Product Technology

Knitted

Glove/liner color

Ecru

Coating Type

Cotton

Length

27 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

10

EN 407 - Heat and/or Fire

| Behaviour and/or fire | X |
|-------------------------------------|---|
| Resistance to contact heat | 2 |
| Resistance to convective heat | X |
| Resistance to radiant heat | X |
| Resistance to small metal splashes | X |
| Resistance to molten metal splashes | X |

EN 388 - Mechanical Hazards Abrasion Resistance

| Abrasion resistance | 1 |
|---------------------------------|---|
| Cutting resistance (Coupe test) | 2 |
| Tear resistance | 3 |
| Puncture resistance | 2 |

Packaging Label

Tagging

CE HONEYWELL RGT1685 XX EN 420

EN 388 : 1232 EN 407 : X2XXXX

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number

0075/797/162/08/08/0306

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/08/08/0306

Additional Information

User Information Sheet

106

Maintenance

Storage Information

Minimum packaging 5 pairs.

Cartons of 100 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law.

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF
9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers:

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/08/08/0306

To the following model of personal protective equipment:

* protective glove against

mechanical risks, thermal risks.

* reference of the model:

RGT1685

HONEYWELL SAFETY PRODUCTS EUROPE

ZI Paris Nord II - 33, Rue des Vanesses BP 50288 - 95958 ROISSY CDG CEDEX France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on August 22th, 2008

Update 03

of June 15th, 2012

Issued by Nadine PIPAZ

CTC

4, rue Hermann Frenkel

NOTA: Any modification to new items of the personal protective equipment object of this CE type and 355 of the control of the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of World: +33(0)472761010 - Fox +33(0)472761000 www.ctcgroupe.com

^{*} responsible for placing on the market !



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 04

Reference: RGT1685

Basic Model

Dated: JUNE 2012

Knitted glove, 5 fingers, 100% terry cotton

Available sizes:

10

Visual description:



Material:

| | Colour | Material | Gauges | Thikness |
|---------|---------|--------------------------------------|--------|----------|
| PALM | Natural | terry 100% cotton | | |
| BACK | Natural | terry 100% cotton | | |
| LINING | | | | |
| CUFF | Natural | overage 100% cotton double thickness | | |
| COFF | Natural | Elastic | | |
| BINDING | | | | |



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009
- * EN 388:2003
- * EN 407:2004
- * Innocuousness
- General requirements for gloves and test methods
- Protective glove against mechanical risks
- Protective gloves against thermal risks
- At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

| Laboratory | CTC Asia | CTC France | Other |
|------------|----------|-----------------------------|----------------------------|
| EN 420 | | 0802-2034/1 | |
| EN 388 | | 1011-14080/1 0802-2034/1 | 1105-7275/1 1104-5826/1 |
| EN 407 | | 1012-15143 | |

Performance levels offered against mechanical risks (EN 388:2003) are:

| Abrasion resistance | Blade cut resistance | Tear strength resistance | Puncture resistance |
|---------------------|----------------------|--------------------------------|---------------------|
| 1 | 2 | 3 | 2 |

Performance levels offered against thermal risks (EN 407:2004) are:

| Burning behaviour | Contact heat | Convective heat | Radiant heat | small splashes of molten metal | Large quantities of molten metal |
|----------------------|--------------|-----------------|-----------------|-----------------------------------------|----------------------------------------|
| Х | 2 | Х | Х | Х | Х |


« X » means that the test hasn't been performed; no protection is required



Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * C € marking
- * reference of the model: RGT1685
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for thermal risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

<u>Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:</u>

Designation: RGT 1685 Reference: RGT1685

Standard(s): EN 388, EN 407, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/08/08/0306

Delivered by:

CENTRE TECHNIQUE DU CUIR 4 rue Hermann Frenkel 69367 LYON Cedex 07 France

Drawn up in Lyon, on the 31/05/2019

By: Fabrice beaugeard

Division: Gloves

HONEYWELL SARTY PRODUCTS EUROPE Immeuble Edison - ZI Pals Nord II - 33 rue das Vanasses BP 55288 Villeprinte - 3988 ROLSSY - 255 CEDEX 958 au capatri 11-00 000 Gire 1-45 982 397 00157 Tel - 7331 4999 7979 - 250 331 4990 7980

> ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com